Female Pregnancy File Codebook :: Pregnancy Variables :: 1. Respondent ID and Pregnancy Order

CASEID(1-5)

Variable Type : raw

Description : Case identification number

value	label	Total
50001-60416	Case identification number	9543
	Total	**9543**

Universe : Applicable for all pregnancies

pregordr(6-7)

Variable Type : computed

Description : Pregnancy order (number)

value	label	Total
1	1ST PREGNANCY	3503
2	2ND PREGNANCY	2631
3	3RD PREGNANCY	1652
4	4TH PREGNANCY	883
5	5TH PREGNANCY	440
6	6TH PREGNANCY	211
7	7TH PREGNANCY	106
8	8TH PREGNANCY	51
9	9TH PREGNANCY	28
10	10TH PREGNANCY	16
11	11TH PREGNANCY	9
12	12TH PREGNANCY	6
13	13TH PREGNANCY	3
14	14TH PREGNANCY	2
15	15TH PREGNANCY	1
16	16TH PREGNANCY	1
	Total	**9543**

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 2. Section B raw variables

HOWPREG_N(8-9)

Variable Type : raw

BB-2 : How many weeks or months pregnant are you now? (NUMBER)

value	label	Total
.	INAPPLICABLE	8905
0-50	0-50	632
99	Don't know	6
	Total	**9543**

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

HOWPREG_P(10-10)

Variable Type : raw

BB-2 : How many weeks or months pregnant are you now? (UNITS)

value	label	Total

value	label	Total
.	INAPPLICABLE	8911
1	Weeks	494
2	Months	138
	Total	**9543**

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

moscurrp(11-12)

Variable Type : computed

Description : Number of Months Currently Pregnant (computed in Flow Check B-5)

value	label	Total
.	INAPPLICABLE	8905
0-11	0-11 Months	632
99	Don't know	6
	Total	**9543**

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

Notes : use recode PRGLNGTH

NOWPRGDK(13-13)

Variable Type : raw

BB-3 : Are you in your first trimester, in your second trimester, or in your third trimester?

value	label	Total
.	INAPPLICABLE	9537
9	Don't know	6
	Total	**9543**

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) and R did not know or refused to answer current gestational length (BB-2 HOWPREG_N = DK/RF) (respondent-level variable)

PREGEND1(14-14)

Variable Type : raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (1st mention)

value	label	Total
.	INAPPLICABLE	238
1	Miscarriage	1459
2	Stillbirth	69
3	Abortion	981
4	Ectopic or tubal pregnancy	121
5	Live birth by Cesarean section	1861
6	Live birth by vaginal delivery	4795
8	Refused	7
9	Don't know	12
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : Use recode OUTCOME

PREGEND2(15-15)

Variable Type : raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (2nd mention)

value	label	Total
.	INAPPLICABLE	9511
1	Miscarriage	4
2	Stillbirth	3
3	Abortion	2
4	Ectopic or tubal pregnancy	2
5	Live birth by Cesarean section	10
6	Live birth by vaginal delivery	11
	Total	**9543**

Universe : Applicable if more than 1 pregnancy outcome was reported for this completed pregnancy (see BC-1 PREGEND1)

Notes : Use recode OUTCOME

HOWENDDK(16-16)

Variable Type : raw

BC-1b : I understand that you may not want to answer this question in detail. If you are willing to say, did this (nth) pregnancy result in a baby or babies born alive, or did it end in some other way?

value	label	Total
.	INAPPLICABLE	9524
1	Live birth	2
5	Some other way	7
8	Refused	3
9	Don't know	7
	Total	**9543**

Universe : Applicable if R did not know or refused to answer how this pregnancy ended (BC-1 PREGEND1 = DK or RF)

NBRNALIV(17-17)

Variable Type : raw

BC-2 : (With your (nth) pregnancy,) How many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

value	label	Total
.	INAPPLICABLE	2873
1	1 BABY	6562
2	2 BABIES	103
3	3 OR MORE BABIES	4
9	Don't know	1
	Total	**9543**

Universe : Applicable if pregnancy resulted in at least 1 live birth (prgoutcome = 1)

MULTBRTH(18-18)

Variable Type : raw

BC-3 : Did you have (twins/triplets/all of these babies with this [nth] pregnancy)?

value	label	Total
.	INAPPLICABLE	9436
1	Yes	92
5	No	15
	Total	**9543**

Universe : Applicable if more than 1 liveborn baby reported from this pregnancy (BC-2 NBRNALIV > 1)

bornaliv(19-19)

Variable Type : computed

Description : Number of babies born alive from this pregnancy (computed in Flow Check B-10)

value	label	Total
.	INAPPLICABLE	2873
1	1 BABY	6578
2	2 BABIES	90
3	3 OR MORE BABIES	2
	Total	**9543**

Universe : Applicable if pregnancy resulted in at least 1 live birth (prgoutcome = 1)

DATPRGEN_M(20-21)

Variable Type : raw

BC-4a : In what month and year did this pregnancy end? (MONTH)

value	label	Total
.	INAPPLICABLE	6918
1-12	January-December	2176
13	Winter	56
14	Spring	82
15	Summer	124
16	Fall	56
98	Refused	10
99	Don't know	121
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

DATPRGEN_Y(22-25)

Variable Type : raw

BC-4a : In what month and year did this pregnancy end? (YEAR)

value	label	Total
.	INAPPLICABLE	6918
1931-2013	1931-2013	2563
9998	Refused	9
9999	Don't know	53
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

cmotpreg(26-29)

Variable Type : computed

Description : Century Month for Pregnancy End Date (if nonlivebirth) (computed in Flow Check B-11)

value	label	Total
.	INAPPLICABLE	6918
380-1340	Before Sept 2011	2380
1341-1352	Sept 2011-Aug 2012	132
1353-1365	Sept 2012-Sept 2013	51
9998	Refused	9
9999	Don't know	53
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

Notes : use recode DATEND

AGEATEND(30-31)

Variable Type : raw

BC-4b : How old were you when this pregnancy ended?

value	label	Total
.	INAPPLICABLE	9094
LOW-19	UNDER 20 YEARS	153
20-24	20-24 YEARS	127
25-29	25-29 YEARS	69
30-44	30-44 YEARS	60
98	Refused	6
99	Don't know	34
	Total	**9543**

Universe : Applicable if R did not know or refused to answer the month/year when this pregnancy ended (cmotpreg = DK/RF) or she reported season/DK/RF on the month when this pregnancy ended (BC-4a DATPRGEN_M = 13,14,15,16, or DK/RF)

Notes : use recode AGEPREG

HPAGEEND(32-33)

Variable Type : raw

BC-4c : How old was the father when this pregnancy ended?

value	label	Total
.	INAPPLICABLE	6918
LOW-19	UNDER 20 YEARS	396
20-24	20-24 YEARS	732
25-29	25-29 YEARS	561
30-44	30-44 YEARS	769
45-95	45 YEARS OR OLDER	55
98	Refused	8
99	Don't know	104
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

GESTASUN_M(34-35)

Variable Type : raw

BC-5 : How many months or weeks had you been pregnant when (the baby was born/the [twins/triplets] were born/that pregnancy ended)? (MONTHS)

value	label	Total
.	INAPPLICABLE	248
0-12	0-12 MONTHS	9213
98	Refused	10
99	Don't know	72
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

GESTASUN_W(36-37)

Variable Type : raw

BC-5 : How many months or weeks had you been pregnant when (the baby was born/the [twins/triplets] were born/that pregnancy ended)? (WEEKS)

value	label	Total
.	INAPPLICABLE	248
0-13	13 WEEKS OR LESS	4955
14-26	14-26 WEEKS	146
27-95	27 WEEKS OR LONGER	4110
98	Refused	10
99	Don't know	74
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

wksgest(38-41)

Variable Type : computed

Description : Gestational length of completed pregnancy (in weeks) (computed in Flow Check B-13)

value	label	Total
.	INAPPLICABLE	248
0-13	13 WEEKS OR LESS	2245
14-26	14-26 WEEKS	375
27-95	27 WEEKS OR LONGER	6662
9998	Refused	3
9999	Don't know	10
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode PRGLNGTH

mosgest(42-43)

Variable Type : computed

Description : Gestational length of completed pregnancy (in months) (computed in Flow Check B-13)

value	label	Total
.	INAPPLICABLE	248
0-12	0-12 MONTHS	9282
98	Refused	3
99	Don't know	10
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode PRGLNGTH

DK1GEST(44-44)

Variable Type : raw

BC-6 : Was it less than 6 months, or 6 months or more?

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if this pregnancy ended only in stillbirth (BC-1 PREGEND1 - 6 only included code 2) and R did not know or refused to report gestational length (BC-5 GESTASUN_M = DK/RF or GESTASUN_W = DK/RF)

DK2GEST(45-45)

Variable Type : raw

BC-7 : A preterm delivery is one that occurs at 36 weeks or earlier in pregnancy. As far as you know, did you have a preterm delivery?

value	label	Total
.	INAPPLICABLE	9533
1	Yes	5
5	No	5
	Total	**9543**

Universe : Applicable if this pregnancy ended in live birth (prgoutcome = 1) and R did not know or refused to answer gestational length (BC-5 GESTASUN_M = DK/RF or GESTASUN_W = DK/RF)

DK3GEST(46-46)

Variable Type : raw

BC-8 : Was it less than 3 months, 3 months or more but less than 6 months, or 6 months or more?

value	label	Total
.	INAPPLICABLE	9466
1	Less than 3 months	61
2	3 months or more, but less than 6 months	3
8	Refused	3
9	Don't know	10
	Total	**9543**

Universe : Applicable if this pregnancy ended only in miscarriage, abortion, or ectopic (BC-1 PREGEND1 - 6 only included codes 1, 3, or 4) and R did not know or refused to report gestational length (BC-5 GESTASUN_M = DK/RF or GESTASUN_W = DK/RF)

bpa_bdscheck1(47-47)

Variable Type : computed

Description : Whether 1st liveborn baby from this pregnancy was unnamed and either placed for adoption or died shortly after birth (computed in Flow Check B-17)

value	label	Total
.	INAPPLICABLE	2875
0	Baby born alive and named	6660
1	Baby unnamed and placed for adoption	7
2	Baby unnamed and died soon after birth	1
	Total	**9543**

Universe : Applicable if pregnancy ended in live birth (prgoutcome = 1)

BABYSEX1(48-48)

Variable Type : raw

BD-2 : ((Is/Was) (BABY'S NAME/the 1st baby) male or female?)

value	label	Total
.	INAPPLICABLE	2873
1	Male	3451
2	Female	3219
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

BIRTHWGT_LB1(49-50)

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 1st baby) weigh at birth? (POUNDS)

value	label	Total
.	INAPPLICABLE	2873
0-5	UNDER 6 POUNDS	876
6	6 POUNDS	1648
7	7 POUNDS	2293
8	8 POUNDS	1281
9-95	9 POUNDS OR MORE	507
99	Don't know	65
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

Notes : use recode LBW1

BIRTHWGT_OZ1(51-52)

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 1st baby) weigh at birth? (OUNCES)

value	label	Total
.	INAPPLICABLE	2938
0-15	0-15 OUNCES	6561
99	Don't know	44
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT_LB1 NE DK/RF)

Notes : use recode LBW1

LOBTHWGT1(53-53)

Variable Type : raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9467
1	5 1/2 pounds or more	60
2	Less than 5 1/2 pounds	11
9	Don't know	5
	Total	**9543**

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT_LB1 = DK/RF or (BIRTHWGT_LB1 < 6 and BIRTHWGT_OZ1 = DK/RF)

Notes : use recode LBW1

BABYSEX2(54-54)

Variable Type : raw

BD-2 : ((Is/Was) (BABY'S NAME/the 2nd baby) male or female?)

value	label	Total
.	INAPPLICABLE	9451
1	Male	45

value	label	Total
2	Female	46
9	Don't know	1
	Total	**9543**

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv > 1)

BIRTHWGT_LB2(55-56)

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 2nd baby) weigh at birth? (POUNDS)

value	label	Total
.	INAPPLICABLE	9451
0-5	UNDER 6 POUNDS	65
6	6 POUNDS	16
7	7 POUNDS	7
99	Don't know	4
	Total	**9543**

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv > 1)

BIRTHWGT_OZ2(57-58)

Variable Type : raw

BD-3 : How much did (BABYNAME/this 2nd baby) weigh at birth? (OUNCES)

value	label	Total
.	INAPPLICABLE	9455
0-15	0-15 OUNCES	88
	Total	**9543**

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv > 1) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT_LB2 NE DK/RF)

LOBTHWGT2(59-59)

Variable Type : raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9539
2	Less than 5 1/2 pounds	4
	Total	**9543**

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT_LB2 = DK/RF or (BIRTHWGT_LB2 < 6 and BIRTHWGT_OZ2 = DK/RF)

BABYSEX3(60-60)

Variable Type : raw

BD-2 : ((Is/Was) (BABY'S NAME/the 3rd baby) male or female?)

value	label	Total
.	INAPPLICABLE	9541
1	Male	1
2	Female	1
	Total	**9543**

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2)

BIRTHWGT_LB3(61-61)

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 3rd baby) weigh at birth? (POUNDS)

value	label	Total
.	INAPPLICABLE	9541
0-5	UNDER 6 POUNDS	2
	Total	**9543**

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2)

BIRTHWGT_OZ3(62-62)

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 3rd baby) weigh at birth? (OUNCES)

value	label	Total
.	INAPPLICABLE	9541
0-15	0-15 OUNCES	2
	Total	**9543**

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT_LB3 NE DK/RF)

LOBTHWGT3(63-63)

Variable Type : raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT_LB3 = DK/RF or (BIRTHWGT_LB3 < 6 and BIRTHWGT_OZ3 = DK/RF)

BABYDOB_M(64-65)

Variable Type : raw

BD-5 : In what month and year ((was she/was he/were the [twins/triplets]) born)/did this pregnancy end)?

value	label	Total
.	INAPPLICABLE	2873
1-12	January-December	6660
98	Refused	7
99	Don't know	3
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

BABYDOB_Y(66-69)

Variable Type : raw

BD-5 : In what month and year ((was she/was he/were the [twins/triplets]) born)/did this pregnancy end)?

value	label	Total
.	INAPPLICABLE	2873
1931-2013	1931-2013	6659

value	label	Total
9998	Refused	6
9999	Don't know	5
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

cmbabdob(70-73)

Variable Type : computed

Description : Century Month for baby's or babies' date of birth (delivery date) (computed in Flow Check B-19b)

value	label	Total
.	INAPPLICABLE	2873
380-1340	Before Sept 2011	6241
1341-1352	Sept 2011-Aug 2012	322
1353-1365	Sept 2012-Sept 2013	96
9998	Refused	6
9999	Don't know	5
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

Notes : use recode DATEND

kidage(74-76)

Variable Type : computed

Description : Current Age (in months) of R's child(ren) from this pregnancy (computed in Flow Check B-19b)

value	label	Total
.	INAPPLICABLE	2884
0-994	0-994	6659
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and bpa_bdscheck1 = 0.

HPAGELB(77-78)

Variable Type : raw

BD-6 : How old was the father when (BABY'S NAME/the [twins/triplets]) (was/were) born?

value	label	Total
.	INAPPLICABLE	2873
LOW-19	UNDER 20 YEARS	684
20-24	20-24 YEARS	1845
25-29	25-29 YEARS	1727
30-44	30-44 YEARS	2185
45-95	45 YEARS OR OLDER	142
98	Refused	4
99	Don't know	83
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

BIRTHPLC(79-79)

Variable Type : raw

BD-7 : Where did you give birth? Was it in a hospital, in a birthing center, in your home, or some other place?

value	label	Total
.	INAPPLICABLE	7248
1	In a hospital	2238
2	In a birthing center	30
3	In your home	22
4	Some other place	5
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred on or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr)

PAYBIRTH1(80-80)

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (1st mention)

value	label	Total
.	INAPPLICABLE	7248
1	Insurance	1010
2	Co-payment or out-of-pocket payment	59
3	Medicaid	1156
4	No payment required	33
5	Some other way	35
8	Refused	1
9	Don't know	1
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred in or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr)

Notes : use recode PAYDELIV

PAYBIRTH2(81-81)

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (2nd mention)

value	label	Total
.	INAPPLICABLE	9000
1	Insurance	26
2	Co-payment or out-of-pocket payment	448
3	Medicaid	61
5	Some other way	8
	Total	**9543**

Universe : Applicable if more than 1 form of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

PAYBIRTH3(82-82)

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (3rd mention)

value	label	Total
.	INAPPLICABLE	9533
1	Insurance	1

2	Co-payment or out-of-pocket payment	1
3	Medicaid	2
5	Some other way	6
	Total	**9543**

Universe : Applicable if more than 2 forms of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

CSECPRIM(83-83)

Variable Type : raw

BD-9 : Was this your first cesarean delivery, or had you had one before this?

value	label	Total
.	INAPPLICABLE	8902
1	Yes	380
5	No	261
	Total	**9543**

Universe : Applicable if only pregnancy outcome was cesarean livebirth delivery (BC-1 PREGEND1 - 6 only included code 5)

CSECMED1(84-84)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (1st MENTION)

value	label	Total
.	INAPPLICABLE	9163
1	Labor was taking too long	79
2	Maternity care provider concerned that baby was too big	35
3	Baby was in the wrong position (e.g, breech)	72
4	Maternity care provider concerned about your health	52
5	Maternity care provider concerned about your baby's health	75
6	Some other medical reason	57
7	There was no medical reason	10
	Total	**9543**

Universe : Applicable if this is R's first cesarean delivery (BD-9 CSECPRIM = 1) and R has not already reported on her first cesarean delivery (PRIMVAR NE 1)

CSECMED2(85-85)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (2nd MENTION)

value	label	Total
.	INAPPLICABLE	9416
1	Labor was taking too long	7
2	Maternity care provider concerned that baby was too big	18
3	Baby was in the wrong position (e.g, breech)	9
4	Maternity care provider concerned about your health	28
5	Maternity care provider concerned about your baby's health	45
6	Some other medical reason	20
	Total	**9543**

Universe : Applicable if R reported more than 1 medical reason for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED3(86-86)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (3rd MENTION)

value	label	Total
.	INAPPLICABLE	9514
1	Labor was taking too long	1
2	Maternity care provider concerned that baby was too big	1
3	Baby was in the wrong position (e.g, breech)	1
4	Maternity care provider concerned about your health	7
5	Maternity care provider concerned about your baby's health	14
6	Some other medical reason	5
	Total	**9543**

Universe : Applicable if R reported more than 2 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED4(87-87)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (4th MENTION)

value	label	Total
.	INAPPLICABLE	9534
4	Maternity care provider concerned about your health	3
5	Maternity care provider concerned about your baby's health	3
6	Some other medical reason	3
	Total	**9543**

Universe : Applicable if R reported more than 3 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED5(88-88)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (5th MENTION)

value	label	Total
.	INAPPLICABLE	9542
5	Maternity care provider concerned about your baby's health	1
	Total	**9543**

Universe : Applicable if R reported more than 4 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED6(89-89)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (6th MENTION)

value	label	Total
.	INAPPLICABLE	9542

6	Some other medical reason	1
	Total	**9543**

Universe : Applicable if R reported more than 5 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECPLAN(90-90)

Variable Type : raw

BD-11 : Was this cesarean the result of your own idea to have a planned cesarean before labor began?

value	label	Total
.	INAPPLICABLE	9530
1	Yes	5
5	No	8
	Total	**9543**

Universe : Applicable if R reported no medical reason for her first cesarean delivery (BD-10 CSECMED1 = 7)

KNEWPREG(91-92)

Variable Type : raw

BE-1 : How many weeks pregnant were you when you learned that you were pregnant this (nth) time?

value	label	Total
.	INAPPLICABLE	6597
0-13	13 WEEKS OR LESS	2788
14-26	14-26 WEEKS	106
27-50	27 WEEKS OR LONGER	12
98	Refused	6
99	Don't know	34
	Total	**9543**

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

TRIMESTR(93-93)

Variable Type : raw

BE-2a : Was it less than 3 months, at least 3 months but less than 6 months, or six or more months?

value	label	Total
.	INAPPLICABLE	9530
1	Less than 3 months,	4
2	At least 3 months, but less than 6 months	8
8	Refused	1
	Total	**9543**

Universe : Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 KNEWPREG = DK/RF) and gestational length was 6 months or longer (mosgest GE 6)

LTRIMEST(94-94)

Variable Type : raw

BE-2b : Was it less than 3 months or 3 months or more?

value	label	Total

.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 KNEWPREG = DK/RF) and gestational length was between 3 and 6 months (3 LE mosgest LT 6)

PRIORSMK(95-95)

Variable Type : raw

BE-3 : Please look at Card 17. In the 6 months before you found out you were pregnant this (nth) time, how many cigarettes did you smoke a day, on the average?

value	label	Total
.	INAPPLICABLE	6597
0	None	2239
1	About one cigarette a day or less	61
2	Just a few cigarettes a day (2-4)	160
3	About half a pack a day (5-14)	290
4	About a pack a day (15-24)	153
5	About 1 1/2 packs a day (25-34)	28
6	About 2 packs a day (35-44)	6
7	More than 2 packs a day (45 or more)	1
8	Refused	8
	Total	**9543**

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

POSTSMKS(96-96)

Variable Type : raw

BE-4 : After you found out you were pregnant this (nth) time, did you smoke cigarettes at all during the pregnancy?

value	label	Total
.	INAPPLICABLE	6597
1	Yes	340
5	No	2598
8	Refused	8
	Total	**9543**

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

NPOSTSMK(97-97)

Variable Type : raw

BE-5 : Looking at Card 18, on the average, how many cigarettes did you smoke per day after you found out that you were pregnant this (nth) time?

value	label	Total
.	INAPPLICABLE	9203
1	About one cigarette a day or less	53
2	Just a few cigarettes a day (2-4)	130
3	About half a pack a day (5-14)	104
4	About a pack a day (15-24)	44
5	About 1 1/2 packs a day (25-34)	6

6	About 2 packs a day (35-44)	1
7	More than 2 packs a day (45 or more)	1
9	Don't know	1
	Total	**9543**

Universe : Applicable if R reported any cigarette smoking during this pregnancy (BE-4 POSTSMKS = 1)

GETPRENA(98-98)

Variable Type : raw

BE-6 : During this (nth) pregnancy, did you ever visit a doctor or other medical care provider for prenatal care, that is, for one or more pregnancy check-ups?

value	label	Total
.	INAPPLICABLE	6597
1	Yes	2595
5	No	349
8	Refused	1
9	Don't know	1
	Total	**9543**

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

Notes : use recode PNCAREWK

BGNPRENA(99-100)

Variable Type : raw

BE-7 : How many weeks pregnant were you at the time of your first prenatal care visit?

value	label	Total
.	INAPPLICABLE	6948
0-13	13 WEEKS OR LESS	2341
14-26	14-26 WEEKS	215
27-50	27 WEEKS OR LONGER	19
98	Refused	1
99	Don't know	19
	Total	**9543**

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

Notes : use recode PNCAREWK

PNCTRIM(101-101)

Variable Type : raw

BE-8a : Was it less than 3 months, at least 3 months but less than 6 months, or 6 or more months?

value	label	Total
.	INAPPLICABLE	9530
1	Less than 3 months,	3
2	At least 3 months , but less than 6 months	9
9	Don't know	1

		Total
Total		**9543**

Universe : Applicable if R did not know or refused to answer when she began prenatal care (BE-7 BGNPRENA = DK/RF) and gestational length was 6 months or longer (mosgest GE 6)

Notes : use recode PNCAREWK

LPNCTRI(102-102)

Variable Type : raw

BE-8b : Was it less than 3 months or 3 months or more?

value	label	Total
.	INAPPLICABLE	9536
1	Less than 3 months	7
	Total	**9543**

Universe : Applicable if R did not know or refused to answer when she began prenatal care (BE-7 BGNPRENA = DK/RF) and gestational length was between 3 and 6 months (3 LE mosgest LT 6)

Notes : use recode PNCAREWK

LIVEHERE1(103-103)

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	7486
1	Yes	1613
5	No	443
9	Don't know	1
	Total	**9543**

Universe : Applicable if 1st liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME1)

Notes : see recode LIVCHILD

ALIVENOW1(104-104)

Variable Type : raw

BG-2 : Is (she/he) still living? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9099
1	Yes	381
5	No	63
	Total	**9543**

Universe : Applicable if child not living with R (BG-1 LIVEHERE1 = 5/DK/RF)

WHENDIED_M1(105-106)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (1st child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9480
1-12	January-December	63

| Total | 9543 |

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

WHENDIED_Y1(107-110)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (1st child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9480
1931-2013	1931-2013	63
	Total	9543

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

cmkidied1(111-114)

Variable Type : computed

Description : Century Month for child's date of death - 1st from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9480
380-1340	Before Sept 2011	60
1341-1352	Sept 2011-Aug 2012	3
	Total	9543

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

WHENLEFT_M1(115-116)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (1st child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9162
1-12	January-December	319
13	Winter	8
14	Spring	4
15	Summer	19
16	Fall	7
98	Refused	4
99	Don't know	20
	Total	9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

WHENLEFT_Y1(117-120)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (1st child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9162
1931-2013	1931-2013	373
9998	Refused	4
9999	Don't know	4
	Total	9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

cmkidlft1(121-124)

Variable Type : computed

Description : Century Month for date child stopped living w/R - 1st from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	9162
380-1340	Before Sept 2011	299
1341-1352	Sept 2011-Aug 2012	61
1353-1365	Sept 2012-Sept 2013	13
9998	Refused	4
9999	Don't know	4
	Total	9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

lastage1(125-127)

Variable Type : computed

Description : Age (in months) when child last lived w/R-1st from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	9107
0-994	0-994	436
	Total	9543

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE1 = 5/DK/RF)

WHERENOW1(128-128)

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9162
1	With biological father	137
2	With other relatives	147
3	With adoptive family	55
4	Away at school/college	4
5	Living on own	15
6	Other	22
9	Don't know	1
	Total	9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

Notes : see recode LIVCHILD

LEGAGREE1(129-129)

Variable Type : raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9406

1	Yes	95
5	No	42
	Total	**9543**

Universe : Applicable if child lives with biological father (BG-5 WHERENOW1 = 1)

PARENEND1(130-130)

Variable Type : raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9221
1	Yes	289
5	No	32
9	Don't know	1
	Total	**9543**

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHERENOW1 = 1, 2, 5, 6, DK, or RF)

ANYNURSE1(131-131)

Variable Type : raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	3591
1	Yes	3833
5	No	2117
8	Refused	2
	Total	**9543**

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1), child lived with R for at least 2 months (lastage1 GE 2), and child is currently 18 years or younger (kidage LT 228)

Notes : use recode BFEEDWKS

FEDSOLID1(132-132)

Variable Type : raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9260
1	Yes	249
5	No	34
	Total	**9543**

Universe : Applicable if child is younger than 1 year (lastage1 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage1 < 12 and kidage < 12)

FRSTEATD_N1(133-135)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	5744
0-994	0-994	3787
999	Don't know	12
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

FRSTEATD_P1(136-136)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	5756
1	Months	2563
2	Weeks	628
3	Days	596
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

FRSTEATD1(137-138)

Variable Type : raw

BH-3 : Age (in months) when 1st supplemented - 1st from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	5756
0	LESS THAN 1 MONTH	921
1	1 MONTH	495
2	2 MONTHS	339
3	3 MONTHS	509
4	4 MONTHS	470
5	5 MONTHS	246
6	6 MONTHS	504
7-95	7 OR MORE MONTHS	303
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

QUITNURS1(139-139)

Variable Type : raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	8962
1	Yes	447
5	No	134
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage1 LE 24 or (lastage1 = blank and kidage LE 24))

Notes : use recode BFEEDWKS

AGEQTNUR_N1(140-142)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	5878
0-994	0-994	3649
996	Still breastfeeding this child	12
998	Refused	1
999	Don't know	3
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

AGEQTNUR_P1(143-143)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	5894
1	Months	2932
2	Weeks	573
3	Days	138
7	Not ascertained	4
9	Don't know	2
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

AGEQTNUR1(144-145)

Variable Type : raw

Description : Age (in months) when R stopped nursing child - 1st from this preg (computed in Flow Check B-40_1)

value	label	Total
.	INAPPLICABLE	5896
0	LESS THAN 1 MONTH OLD	348
1	1 MONTH OLD	474
2	2 MONTHS OLD	319
3	3 MONTHS OLD	411
4-6	4-6 MONTHS OLD	711
7-12	7-12 MONTHS OLD	899
13-24	13-24 MONTHS OLD	421
25-95	25 MONTHS OR OLDER	60
97	Not ascertained	4
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

LIVEHERE2(146-146)

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9509
1	Yes	22
5	No	11
9	Don't know	1
	Total	**9543**

Universe : Applicable if 2nd liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME2)

ALIVENOW2(147-147)

Variable Type : raw

BG-2 : Is (she/he) still living? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9531
1	Yes	7
5	No	5
	Total	**9543**

Universe : Applicable if child not living with R (BG-1 LIVEHERE2 = 5/DK/RF)

WHENDIED_M2(148-149)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (2nd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9538
1-12	January-December	5
	Total	**9543**

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

WHENDIED_Y2(150-153)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (2nd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9538
1931-2013	1931-2013	5
	Total	**9543**

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

cmkidied2(154-157)

Variable Type : computed

Description : Century Month for child's date of death - 2nd from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9538
380-1340	Before Sept 2011	5
	Total	**9543**

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

WHENLEFT_M2(158-159)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (2nd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9536
1-12	January-December	5
16	Fall	1
99	Don't know	1
	Total	**9543**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

WHENLEFT_Y2(160-163)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (2nd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9536
1931-2013	1931-2013	7
	Total	**9543**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

cmkidlft2(164-167)

Variable Type : computed

Description : Century Month for date child stopped living w/R - 2nd from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	9536
380-1340	Before Sept 2011	6
1341-1352	Sept 2011-Aug 2012	1
	Total	**9543**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

lastage2(168-170)

Variable Type : computed

Description : Age (in months) when child last lived w/R-2nd from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	9531
0-994	0-994	11
997	Not Ascertained	1

	Total	9543

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE2 = 5/DK/RF)

WHERENOW2(171-171)

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9536
1	With biological father	3
2	With other relatives	3
3	With adoptive family	1
	Total	**9543**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

LEGAGREE2(172-172)

Variable Type : raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9540
1	Yes	2
5	No	1
	Total	**9543**

Universe : Applicable if child lives with biological father (BG-5 WHERENOW2 = 1)

PARENEND2(173-173)

Variable Type : raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9537
1	Yes	6
	Total	**9543**

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHERENOW2 = 1, 2, 5, 6, DK, or RF)

ANYNURSE2(174-174)

Variable Type : raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9460
1	Yes	53
5	No	30
	Total	**9543**

Universe : Applicable if pregnancy resulted in more than 1 liveborn baby (bornaliv > 2), child lived with R for at least 2 months (lastage2 GE 2), and child is currently 18 years or younger (kidage LT 228)

FEDSOLID2(175-175)

Variable Type : raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9540
1	Yes	3
	Total	**9543**

Universe : Applicable if child is younger than 1 year (lastage2 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage2 < 12 and kidage < 12)

FRSTEATD_N2(176-177)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9490
0-994	0-994	53
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

FRSTEATD_P2(178-178)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9490
1	Months	24
2	Weeks	13
3	Days	16
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

FRSTEATD2(179-179)

Variable Type : raw

BH-3 : Age (in months) when 2nd supplemented - 2nd from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	9490
0	LESS THAN 1 MONTH	23
1	1 MONTH	6
2	2 MONTHS	1
3	3 MONTHS	7
4	4 MONTHS	9
5	5 MONTHS	2
6	6 MONTHS	4
7-95	7 OR MORE MONTHS	1

	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

QUITNURS2(180-180)

Variable Type : raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9534
1	Yes	8
5	No	1
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage2 LE 24 or (lastage2 = blank and kidage LE 24))

AGEQTNUR_N2(181-182)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9491
0-994	0-994	52
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

AGEQTNUR_P2(183-183)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9491
1	Months	34
2	Weeks	14
3	Days	4
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

AGEQTNUR2(184-185)

Variable Type : raw

Description : Age (in months) when R stopped nursing child - 2nd from this preg (computed in Flow Check B-40_1)

value	label	Total
.	INAPPLICABLE	9491
0	LESS THAN 1 MONTH OLD	11
1	1 MONTH OLD	7

2	2 MONTHS OLD	2
3	3 MONTHS OLD	7
4-6	4-6 MONTHS OLD	12
7-12	7-12 MONTHS OLD	10
13-24	13-24 MONTHS OLD	3
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

LIVEHERE3(186-186)

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if 3rd liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME3)

ALIVENOW3(187-187)

Variable Type : raw

BG-2 : Is (she/he) still living? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child not living with R (BG-1 LIVEHERE3 = 5/DK/RF)

WHENDIED_M3(188-188)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (3rd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

WHENDIED_Y3(189-189)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (3rd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

cmkidied3(190-190)

Variable Type : computed

Description : Century Month for child's date of death - 3rd from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

WHENLEFT_M3(191-191)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (3rd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

WHENLEFT_Y3(192-192)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (3rd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

cmkidlft3(193-193)

Variable Type : computed

Description : Century Month for date child stopped living w/R - 3rd from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

lastage3(194-194)

Variable Type : computed

Description : Age (in months) when child last lived w/R-3rd from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE3 = 5/DK/RF)

WHERENOW3(195-195)

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

LEGAGREE3(196-196)

Variable Type : raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child lives with biological father (BG-5 WHERENOW3 = 1)

PARENEND3(197-197)

Variable Type : raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHERENOW3 = 1, 2, 5, 6, DK, or RF)

ANYNURSE3(198-198)

Variable Type : raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9541
1	Yes	1
5	No	1
	Total	**9543**

Universe : Applicable if pregnancy ended with more than 2 liveborn babies (bornaliv > 2), child lived with R for at least 2 months (lastage3 GE 2), and child is currently 18 years or younger (kidage LT 228)

FEDSOLID3(199-199)

Variable Type : raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child is younger than 1 year (lastage3 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage3 < 12 and kidage < 12)

FRSTEATD_N3(200-200)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (3rd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9542
0-994	0-994	1
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

FRSTEATD_P3(201-201)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (3rd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9542
3	Days	1
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

FRSTEATD3(202-202)

Variable Type : raw

BH-3 : Age (in months) when 3rd supplemented - 3rd from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	9542
0	LESS THAN 1 MONTH	1
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

QUITNURS3(203-203)

Variable Type : raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage3 LE 24 or (lastage3 = blank and kidage LE 24))

AGEQTNUR_N3(204-205)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy; NUMBER)

value	label	Total

.	INAPPLICABLE	9542
0-994	0-994	1
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

AGEQTNUR_P3(206-206)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9542
1	Months	1
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

AGEQTNUR3(207-208)

Variable Type : raw

Description : Age (in months) when R stopped nursing child - 3rd from this preg (computed in Flow Check B-40_1)

value	label	Total
.	INAPPLICABLE	9542
7-12	7-12 MONTHS OLD	1
	Total	**9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

prgoutcome(209-209)

Variable Type : computed

Description : Outcome of Pregnancy (based on priority ordering) (computed in Flow Check B-42a)

value	label	Total
1	LIVE BIRTH	6670
2	PREGNANCY LOSS OR ABORTION	2635
3	CURRENT PREGNANCY	238
	Total	**9543**

Universe : Applicable if this is a current pregnancy or R reported any pregnancy outcome for this pregnancy ((BC-1 PREGEND1 = 1-6) or (BC-1b HOWENDDK = 1 or 5))

Notes : use recode OUTCOME

outcom_s(210-210)

Variable Type : computed

Description : Outcome of pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
1	LIVE BIRTH	6670
2	PREGNANCY LOSS OR ABORTION	2635
3	CURRENT PREGNANCY	238

Total	9543

Universe : Applicable for all pregnancies

Notes : use recode OUTCOME

nbrnlv_s(211-211)

Variable Type : computed

Description : Number of babies born alive from this pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
.	INAPPLICABLE	2873
1	1 BABY	6578
2	2 BABIES	90
3	3 BABIES	2
	Total	9543

Universe : Applicable if pregnancy resulted in live birth (outcom_s = 1)

cmprgend(212-215)

Variable Type : computed

Description : Century Month for Pregnancy End Date (regardless of outcome) (computed in Flow Check B-42a)

value	label	Total
.	INAPPLICABLE	248
380-1340	Before Sept 2011	8621
1341-1352	Sept 2011-Aug 2012	454
1353-1365	Sept 2012-Sept 2013	147
9998	Refused	15
9999	Don't know	58
	Total	9543

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode DATEND

cmendp_s(216-219)

Variable Type : computed

Description : Century Month for Pregnancy End Date (regardless of outcome) (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
.	INAPPLICABLE	248
380-1340	Before Sept 2011	8621
1341-1352	Sept 2011-Aug 2012	453
1353-1365	Sept 2012-Sept 2013	148
9998	Refused	15
9999	Don't know	58
	Total	9543

Universe : Applicable if pregnancy is a completed pregnancy (outcom_s = 1 or 2)

Notes : use recode DATEND

cmprgbeg(220-223)

Variable Type : computed

Description : Century Month for Pregnancy Begin Date (regardless of outcome) (computed in Flow Check B-42a)

value	label	Total
.	INAPPLICABLE	10
380-1340	Before Sept 2011	8946
1341-1352	Sept 2011-Aug 2012	404
1353-1365	Sept 2012-Sept 2013	105
9998	Refused	16
9999	Don't know	62
	Total	9543

Universe : Applicable if R reported an end date for this completed pregnancy (cmprgend ne .) and reported a gestational length, either for this completed or current pregnancy ((prgoutcome = 1 or 2 and mosgest ne .) or (prgoutcome = 3 and moscurrp ne .))

Notes : use recode DATECON

cmpbeg_s(224-227)

Variable Type : computed

Description : Century Month for Pregnancy Begin Date (regardless of outcome) (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
.	INAPPLICABLE	10
380-1340	Before Sept 2011	8945
1341-1352	Sept 2011-Aug 2012	405
1353-1365	Sept 2012-Sept 2013	105
9998	Refused	16
9999	Don't know	62
	Total	9543

Universe : Applicable if R reported an end date for this completed pregnancy (cmprgend ne .) and reported a gestational length, either for this completed or current pregnancy ((prgoutcome = 1 or 2 and mosgest ne .) or (prgoutcome = 3 and moscurrp ne .))

Notes : use recode DATECON

cmlastlb(228-231)

Variable Type : computed

Description : Century Month for R's most recent live birth (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
.	INAPPLICABLE	520
380-1340	Before Sept 2011	7880
1341-1352	Sept 2011-Aug 2012	855
1353-1365	Sept 2012-Sept 2013	270
9998	Refused	9
9999	Don't know	9
	Total	9543

Universe : Applicable if R has ever had a live birth (nbabes_s = 1) (respondent-level variable)

cmlstprg(232-235)

Variable Type : computed

Description : Century Month for R's most recent completed pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
.	INAPPLICABLE	74
380-1340	Before Sept 2011	7838
1341-1352	Sept 2011-Aug 2012	1058
1353-1365	Sept 2012-Sept 2013	408
9998	Refused	22
9999	Don't know	143
	Total	**9543**

Universe : Applicable if R has ever had a completed pregnancy ((npregs_s = 1 and currpreg = 5) or (npregs_s > 1)) (respondent-level variable)

cmfstprg(236-239)

Variable Type : computed

Description : Century Month for R's first completed pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
.	INAPPLICABLE	74
380-1340	Before Sept 2011	9267
1341-1352	Sept 2011-Aug 2012	152
1353-1365	Sept 2012-Sept 2013	38
9998	Refused	7
9999	Don't know	5
	Total	**9543**

Universe : Applicable if R has ever had a completed pregnancy ((npregs_s = 1 and currpreg = 5) or (npregs_s > 1)) (respondent-level variable)

cmpg1beg(240-243)

Variable Type : computed

Description : Century Month when R's first pregnancy began (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
380-1340	Before Sept 2011	9396
1341-1352	Sept 2011-Aug 2012	114
1353-1365	Sept 2012-Sept 2013	23
9998	Refused	5
9999	Don't know	5
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : use recode DATCON01 on resp file or DATECON on preg file where PREGORDR=1

Female Pregnancy File Codebook :: Pregnancy Variables :: 3. Section E raw variables

cmintstr(244-247)

Variable Type : computed

Description : Century Month for date of beginning of pregnancy interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	239
380-1340	Before Sept 2011	9125

1341-1352	Sept 2011-Aug 2012	54
1353-1365	Sept 2012-Sept 2013	3
9998	Refused	46
9999	Don't know	76
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (outcom_s = 1 or 2)

cmintfin(248-251)

Variable Type : computed

Description : Century Month for date of end of pregnancy interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	248
380-1340	Before Sept 2011	8621
1341-1352	Sept 2011-Aug 2012	453
1353-1365	Sept 2012-Sept 2013	148
9998	Refused	15
9999	Don't know	58
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (outcom_s = 1 or 2)

cmintstrop(252-255)

Variable Type : computed

Description : Open interval: Century Month of date of beginning (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	156
380-1340	Before Sept 2011	7791
1341-1352	Sept 2011-Aug 2012	1109
1353-1365	Sept 2012-Sept 2013	433
9998	Refused	7
9999	Don't know	47
	Total	**9543**

Universe : Applicable if pregnancy is R's highest-order completed pregnancy ((pregordr = npregs_s and currpreg = 5) or (pregordr = (npregs_s - 1) and currpreg = 1))

cmintfinop(256-259)

Variable Type : computed

Description : Open interval: Century Month of date of end (month of interview) (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	74
1341-1352	Sept 2011-Aug 2012	4560
1353-1365	Sept 2012-Sept 2013	4909
	Total	**9543**

Universe : Applicable if pregnancy is R's highest-order completed pregnancy ((pregordr = npregs_s and currpreg = 5) or (pregordr = (npregs_s - 1) and currpreg = 1))

cmintstrcr(260-263)

Variable Type : computed

Description : Currently pregnant: Century Month of date of beginning of interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	8905
380-1340	Before Sept 2011	513
1341-1352	Sept 2011-Aug 2012	94
1353-1365	Sept 2012-Sept 2013	29
9998	Refused	2
	Total	**9543**

Universe : Applicable if pregnancy is a current pregnancy (outcom_s = 3)

cmintfincr(264-267)

Variable Type : computed

Description : Currently pregnant: Century Month of date of end of interval (month of interview) (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	8903
1341-1352	Sept 2011-Aug 2012	322
1353-1365	Sept 2012-Sept 2013	318
	Total	**9543**

Universe : Applicable if pregnancy is a current pregnancy (outcom_s = 3)

anyusint(268-268)

Variable Type : computed

Description : Any method used in pregnancy interval? (computed in Flow Check E-69)

value	label	Total
1	Yes	4026
5	No	5517
	Total	**9543**

Universe : Applicable for all pregnancies

EVUSEINT(269-269)

Variable Type : raw

EG-1 : Did you ever use any method of birth control between (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) and (DATE OF Nth+1 pregnancy end)/[BABY NAME's] birth)? Remember to include methods men use--that is condoms, vasectomy, and withdrawal--in your answer.

value	label	Total
.	INAPPLICABLE	1969
1	Yes	5571
5	No	1967
8	Refused	28
9	Don't know	8
	Total	**9543**

Universe : Applicable if R did not know or refused to answer pregnancy beginning date and ever used a method (cmpbeg_s = DK/RF and everused = 1 or .) or pregnancy began prior to January [YEAR OF INTERVIEW - 3] (cmpbeg_s < cmjan3yr) and date of first method use was unknown/refused or date of first sex was unknown/refused (cmfirsm = DK/RF or cmintstr = DK/RF) or if first method use preceded start of

pregnancy interval (cmfirsm < cmintstr) (note: if first method use was within pregnancy interval, EVUSEINT is set to "yes" (if cmintstr <= cmfirsm <= cmintfin, EVUSEINT = 1)

STOPDUSE(270-270)

Variable Type : raw

EG-2 : Before you became pregnant (with your (NTH) pregnancy which ended in [DATE of Nth pregnancy end]/this time), had you stopped using all methods of birth control?

value	label	Total
.	INAPPLICABLE	3698
1	Yes	3290
5	No	2546
8	Refused	2
9	Don't know	7
	Total	**9543**

Universe : Applicable if [pregnancy began prior to January [YEAR OF INTERVIEW - 3] (cmpbeg_s < cmjan3yr) and first method use was within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) (cmintstr <= cmfirsm <= cmintfin)] or [pregnancy began on or after Jan [YEAR OF INTERVIEW - 3] (cmpbeg_s >= cmjan3yr) and R used a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s NE 1) and did not use a method in month after pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s + 1 = 1)] or R used a method in the month pregnancy began and also in the month after pregnancy began, but they were different methods (ED-6 METHX1 - METHX192 for cmpbeg_s ne 1 and ED-6 METHX1 - METHX192 for cmpbeg_s + 1 ne 1 and ne method for cmpbeg_s) or R used a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) (EG-1 EVUSEINT = 1)

WHYSTOPD(271-271)

Variable Type : raw

EG-3 : Was the reason you stopped using all methods of birth control because you yourself wanted to become pregnant?

value	label	Total
.	INAPPLICABLE	6253
1	Yes	1913
5	No	1370
9	Don't know	7
	Total	**9543**

Universe : Applicable if R stopped using all methods before becoming pregnant (EG-2 STOPDUSE = 1)

WHATMETH01(272-273)

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (1st mention)

value	label	Total
.	INAPPLICABLE	6578
1	No method used	288
3	Birth control pills	901
4	Condom	1008
5	Partner's vasectomy	6
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	19
7	Withdrawal, pulling out	374
8	Depo-Provera, injectables	145
9	Hormonal implant (Norplant or Implanon)	5
10	Rhythm or safe period by calendar	46

11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	10
14	Foam	9
15	Jelly or cream	4
17	Suppository, insert	10
18	Today sponge	3
19	IUD, coil, or loop	33
20	Emergency contraception	2
21	Other method	3
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	63
26	Vaginal contraceptive ring	27
98	Refused	1
99	Don't know	4
	Total	**9543**

Universe : Applicable if (pregnancy began on or after January[YEAR OF INTERVIEW-3 (cmpbeg_s >= cmjan3yr) and R used a method in the month pregnancy began (ED-6 METHX1 -- METHX192 corresponding to cmpbeg_s NE 1) and also in the month after pregnancy began, and it was the same method in both months (ED-6 METHX1 -- METHX192 corresponding to cmpbeg_s + 1 NE 1 and is equal to method for cmpbeg_s) or R had not stopped using all methods before becoming pregnant, or responded "don't know" or "refused" (EG-2 STOPDUSE = 5 / DK/ RF)

WHATMETH02(274-275)

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (2nd mention)

value	label	Total
.	INAPPLICABLE	8987
1	No method used	2
3	Birth control pills	20
4	Condom	172
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	234
8	Depo-Provera, injectables	24
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	45
11	Safe period by temperature or cervical mucus test, natural family planning	6
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	10
15	Jelly or cream	10
17	Suppository, insert	1
18	Today sponge	5
19	IUD, coil, or loop	2
20	Emergency contraception	3
21	Other method	5
25	Contraceptive patch	7
26	Vaginal contraceptive ring	5
	Total	**9543**

Universe : Applicable if more than 1 method was being used before R became pregnant this time (see EG-4 WHATMETH01)

WHATMETH03(276-277)

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (3rd mention)

value	label	Total
.	INAPPLICABLE	9460
1	No method used	2
3	Birth control pills	8
4	Condom	7
7	Withdrawal, pulling out	24
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	10
11	Safe period by temperature or cervical mucus test, natural family planning	4
13	Female condom, vaginal pouch	2
14	Foam	6
15	Jelly or cream	3
17	Suppository, insert	2
19	IUD, coil, or loop	3
20	Emergency contraception	4
25	Contraceptive patch	5
26	Vaginal contraceptive ring	1
	Total	**9543**

Universe : Applicable if more than 2 methods were being used before R became pregnant this time (see EG-4 WHATMETH01)

WHATMETH04(278-279)

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (4th mention)

value	label	Total
.	INAPPLICABLE	9534
1	No method used	1
7	Withdrawal, pulling out	4
8	Depo-Provera, injectables	2
14	Foam	1
19	IUD, coil, or loop	1
	Total	**9543**

Universe : Applicable if more than 3 methods were being used before R became pregnant this time (see EG-4 WHATMETH01)

RESNOUSE(280-280)

Variable Type : raw

EG-5 : (IF R NEVER USED A METHOD:) Before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?
(IF USED A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:) You told me you had stopped using a birth control method before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?
(IF DID NOT USE A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:) You did not use any method of birth control from (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) until you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you were not using any methods because you yourself wanted to become pregnant?

value	label	Total
.	INAPPLICABLE	6315
1	Yes	1617

5	No	1568
8	Refused	25
9	Don't know	18
	Total	**9543**

Universe : Applicable if R did not know or refused to answer pregnancy beginning date and never used a method of birth control (cmpbeg_s = DK/RF and everused = 5) or [pregnancy began prior to January[YEAR OF INTERVIEW - 3] (cmpbeg_s < cmjan3yr) and R has never used a method of birth control (everused = 5) or R's first method use was after the end of the pregnancy (cmintfin < cmfirsm)] or [pregnancy began on or after January[YEAR OF INTERVIEW - 3] (cmpbeg_s < cmjan3yr) and R did not use a method in the month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s = 1) or R did not use a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) or responded "don't know" or "refused" (EG-1 EVUSEINT = 5,DK,RF)]

WANTBOLD(281-281)

Variable Type : raw

EG-6 : Right before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), did you yourself want to have a(nother) baby at any time in the future?

value	label	Total
.	INAPPLICABLE	3530
1	Yes	3939
5	No	1880
6	Not sure, Don't know	156
8	Refused	28
9	Don't know	10
	Total	**9543**

Universe : Applicable if R responded "no" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 WHYSTOPD = 5) or R responded "no" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 RESNOUSE = 5)

Notes : see recode WANTRESP or NEWWANTR

PROBBABE(282-282)

Variable Type : raw

EG-7 : It is sometimes difficult to recall these things but, right before (this/that) pregnancy began, would you say you probably wanted a(nother) baby at some time in the future or probably not?

value	label	Total
.	INAPPLICABLE	9349
1	Probably yes	91
5	Probably not	44
6	Didn't care	22
8	Refused	26
9	Don't know	11
	Total	**9543**

Universe : Applicable if R responded "not sure, don't know" about wanting a(nother) baby at any time in the future (EG-6 WANTBOLD = 6)

CNFRMNO(283-283)

Variable Type : raw

EG-8 : So right before you became pregnant (this time/that time), you thought you did not want to have (any children/a Nth child from this pregnancy) at any time in the future, is that correct?

value	label	Total

value	label	Total
.	INAPPLICABLE	9517
1	Correct	23
2	Incorrect	3
	Total	**9543**

Universe : Applicable if R is younger than 20 years (age_r < 20) and: R responded "no" about wanting a (nother) baby at any time in the future (EG-6 WANTBOLD = 6) or R responded "probably not" about whether she probably wanted or didn't want a(nother) baby at some time in the future (EG-7 PROBBABE = 5)

WANTBLD2(284-284)

Variable Type : raw

EG-9 : Right before you became pregnant (with your (Nth) pregnancy (which ended in (DATE)/this time), did you yourself want to have a(nother) baby at any time in the future?

value	label	Total
.	INAPPLICABLE	9540
1	Yes	3
	Total	**9543**

Universe : Applicable if question confirming that R did not want to have a(nother) child at any time was answered "incorrect" or "don't know" or "refused" (EG-8 CNFRMNO = 5 or DK/RF)

TIMINGOK(285-285)

Variable Type : raw

EG-10 : So would you say you became pregnant too soon, at about the right time, or later than you wanted?

value	label	Total
.	INAPPLICABLE	1980
1	Sooner	2901
2	Right time	4010
3	Later	565
4	Didn't care	80
8	Refused	1
9	Don't know	6
	Total	**9543**

Universe : Applicable if R responded "yes" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 WHYSTOPD = 1) or R responded "yes" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 RESNOUSE = 1) or R responded "yes" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD = 1) or R responded "probably yes" to whether, right before pregnancy, she probably wanted to have a baby at some time in the future (EG-7 PROBBABE = 1) or R responded "yes" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 = 1)

Notes : see recode WANTRESP or NEWWANTR

TOOSOON_N(286-288)

Variable Type : raw

EG-11 : How much sooner than you wanted did you become pregnant? (number of months or years)

value	label	Total
.	INAPPLICABLE	6642
1-100	1-100	2848
998	Refused	3
999	Don't know	50
	Total	**9543**

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK = 1)

Notes : See recode WANTRESP or NEWWANTR

TOOSOON_P(289-289)

Variable Type : raw

EG-11 : (How much sooner than you wanted did you become pregnant?) (unit -- months or years)

value	label	Total
.	INAPPLICABLE	6642
1	Months	262
2	Years	2600
8	Refused	3
9	Don't know	36
	Total	9543

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK = 1)

Notes : See recode WANTRESP or NEWWANTR

WTHPART1(290-290)

Variable Type : raw

EG-12a : Right before (the/this/that) pregnancy, did you want to have a(nother) baby <u>with that partner?</u> Would you say definitely yes, probably yes, probably no, or definitely no?

value	label	Total
.	INAPPLICABLE	4946
1	Definitely yes	3863
2	Probably yes	416
3	Probably no	130
4	Definitely no	177
8	Refused	3
9	Don't know	8
	Total	9543

Universe : Applicable if R responded that she became pregnant at the "right time" or "later" than she wanted (EG-10 TIMINGOK = 2 or 3) or R responded "didn't care " to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 6)

WTHPART2(291-291)

Variable Type : raw

EG-12b : Right before (the/this/that) pregnancy, did you think you might <u>ever</u> want to have a(nother) baby <u>with that partner?</u> Would you say definitely yes, probably yes, probably no, or definitely no?

value	label	Total
.	INAPPLICABLE	4597
1	Definitely yes	1570
2	Probably yes	957
3	Probably no	644
4	Definitely no	1715
8	Refused	25
9	Don't know	35
	Total	9543

Univese : Applicable if R responded that she became pregnant "too soon" or "didn't care" about the timing or "don't know" or "refused" (EG-10 TIMINGOK = 1 or 4 or DK/RF) or R responded "no" or "don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 6) or R responded "no", "not sure", "don't know" or "refused" to whether, right before pregnancy, she wanted to

have a baby at any time in the future (EG-6 WANTBOLD NE 1) or R responded "probably not", "didn't care ", "Don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE NE 1) or R responded "no", "not sure", "didn't care", "don't know" or "refused" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 NE 1)

FEELINPG(292-293)

Variable Type : raw

EG-13 : Please look at the scale on Card 39. On this scale, a zero means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant. Tell me which number on the card best describes how you felt when you found out you were pregnant.

value	label	Total
.	INAPPLICABLE	7211
0	VERY UNHAPPY	243
1	1	51
2	2	62
3	3	50
4	4	71
5	5	195
6	6	98
7	7	155
8	8	164
9	9	110
10	VERY HAPPY	1102
98	REFUSED	21
99	DON'T KNOW	10
	Total	9543

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp_s GE cmjan3yr)

HPWNOLD(294-294)

Variable Type : raw

EG-16 : Right before you became pregnant (this time/that (Nth) time,) did the father want you to have a (nother) baby at any time in the future?

value	label	Total
1	Yes	6932
5	No	1955
6	Not sure, Don't know	605
8	Refused	31
9	Don't know	20
	Total	9543

Universe : Applicable for all pregnancies

TIMOKHP(295-295)

Variable Type : raw

EG-17 : So would you say you became pregnant sooner than he wanted, at about the right time, or later than he wanted?

value	label	Total
.	INAPPLICABLE	2611
1	Sooner	1745
2	Right time	4537
3	Later	536

value	label	Total
4	Didn't care	104
9	Don't know	10
	Total	**9543**

Universe : Applicable if R responded "yes" to whether father of pregnancy wanted her to have baby at any time in the future (EG-16 HPWNOLD = 1)

Notes : see recode WANTRESP or NEWWANTR

COHPBEG(296-296)

Variable Type : raw

EG-18a : Were you either married to or living with the father of (the pregnancy/this pregnancy/your (Nth) pregnancy which ended in (DATE)) at the beginning of the pregnancy? By living together, we mean having a sexual relationship while sharing the same usual address.

value	label	Total
.	INAPPLICABLE	2393
1	Yes	4161
5	No	2946
8	Refused	32
9	Don't know	11
	Total	**9543**

Universe : Applicable if R is not currently married (AB-1 MARSTAT ne 1) or married more than once, or times married is unknown (CA-1 TIMESMAR>1 or DK/RF) or 1st marriage began after pregnancy ended (cmmarrhx > cmendp_s) or 1st marriage start date is unknown (cmmarrhx = DK/RF) or date pregnancy ended is unknown (cmendp_s = DK/RF)

COHPEND(297-297)

Variable Type : raw

EG-18b : (When [BABY NAME] was born, were you either married to or living with (his/her) father? / Were you either married to or living with the father of (the/that) pregnancy when ([BABY NAME] was born/the pregnancy ended))?

value	label	Total
.	INAPPLICABLE	2537
1	Yes	4237
5	No	2729
8	Refused	29
9	Don't know	11
	Total	**9543**

Universe : Applicable if pregnancy is not current (outcom_s NE 3) and conditions for EG-18a COHPBEG are met

TELLFATH(298-298)

Variable Type : raw

EG-19 : Did you tell the father of (the pregnancy/that (Nth) pregnancy/your current pregnancy) that you (were/are) pregnant?

value	label	Total
.	INAPPLICABLE	5752
1	Yes	3470
5	No	281
8	Refused	29
9	Don't know	11
	Total	**9543**

Universe : Applicable if pregnancy did not result in a live birth (outcom_s NE 1) or R was not living with the father of the pregnancy when the pregnancy ended (EG-18 COHPEND NE 1) or responded "don't know/refused" (EG-18 COHPEND = DK/RF)

WHENTELL(299-299)

Variable Type : raw

EG-20 : When did you tell him that you were pregnant - during the pregnancy or after the baby was born/after the pregnancy ended?

value	label	Total
.	INAPPLICABLE	6073
1	During the pregnancy	3308
2	After the [pregnancy ended/baby was born]	161
9	Don't know	1
	Total	9543

Universe : Applicable if R told the father of the pregnancy that she was pregnant (EG-19 TELLFATH = 1) and if pregnancy is not current (outcom_s NE 3)

TRYSCALE(300-301)

Variable Type : raw

EG-21 : Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

value	label	Total
.	INAPPLICABLE	7211
0	0	477
1	1	63
2	2	94
3	3	111
4	4	94
5	5	484
6	6	79
7	7	107
8	8	160
9	9	61
10	10	577
98	Refused	17
99	Don't know	8
	Total	9543

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp_s GE cmjan3yr) or pregnancy is current (outcom_s = 3)

WANTSCAL(302-303)

Variable Type : raw

EG-22 : Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

value	label	Total
.	INAPPLICABLE	7211
0	0	565
1	1	63
2	2	77
3	3	94

4	4	92
5	5	320
6	6	55
7	7	90
8	8	122
9	9	65
10	10	766
98	Refused	18
99	Don't know	5
	Total	**9543**

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp_s GE cmjan3yr) or pregnancy is current (outcom_s = 3)

WHYPRG1(304-304)

Variable Type : raw

EG-23 : Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? Your birth control method failed, or you did not use your birth control method properly? (1st mention)

value	label	Total
.	INAPPLICABLE	9108
1	Your birth control method failed	168
2	You did not use your birth control method properly	215
3	Respondent wasn t using a method	50
8	Refused	1
9	Don't know	1
	Total	**9543**

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp_s GE cmjan3yr) or pregnancy is current (outcom_s = 3) and R responded that she became pregnant "too soon" (EG-10 TIMINGOK = 1) or R responded "no" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD = 5) or R responded "probably not" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 5) or R responded "no" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 = 5) and R used a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s NE 1)

WHYPRG2(305-305)

Variable Type : raw

EG-23 : Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? Your birth control method failed, or you did not use your birth control method properly? (2nd mention)

value	label	Total
.	INAPPLICABLE	9527
1	Your birth control method failed	6
2	You did not use your birth control method properly	10
	Total	**9543**

Universe : Applicable if more than one reason became pregnant with unintended pregnancy (see EG-23 WHYPRG1)

WHYNOUSE1(306-307)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (1st mention)

value	label	Total
.	INAPPLICABLE	8934
1	You did not expect to have sex	73
2	You did not think you could get pregnant	165
3	You didn't really mind if you got pregnant	100
4	You were worried about the side effects of birth control	56
5	Your male partner did not want you to use a birth control method	14
6	Your male partner himself did not want to use a birth control method	20
7	(IF VOLUNTEERED:)Respondent was using a method	42
8	You could not get a method	27
9	You were not taking, or using, your method consistently	106
99	Don't know	6
	Total	**9543**

Universe : Applicable if conditions met for EG-23 WHYPRG1 and R did not use a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s = 1)

WHYNOUSE2(308-308)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (2nd mention)

value	label	Total
.	INAPPLICABLE	9451
1	You did not expect to have sex	5
2	You did not think you could get pregnant	11
3	You didn't really mind if you got pregnant	16
4	You were worried about the side effects of birth control	9
5	Your male partner did not want you to use a birth control method	7
6	Your male partner himself did not want to use a birth control method	14
7	(IF VOLUNTEERED:)Respondent was using a method	2
8	You could not get a method	4
9	You were not taking, or using, your method consistently	24
	Total	**9543**

Universe : Applicable if more than one reason R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

WHYNOUSE3(309-309)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (3rd mention)

value	label	Total
.	INAPPLICABLE	9516
1	You did not expect to have sex	3
2	You did not think you could get pregnant	2
3	You didn't really mind if you got pregnant	2

4	You were worried about the side effects of birth control	2
5	Your male partner did not want you to use a birth control method	4
6	Your male partner himself did not want to use a birth control method	3
8	You could not get a method	3
9	You were not taking, or using, your method consistently	8
	Total	**9543**

Universe : Applicable if more than 2 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

WHYNOUSE4(310-310)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (4th mention)

value	label	Total
.	INAPPLICABLE	9538
5	Your male partner did not want you to use a birth control method	1
6	Your male partner himself did not want to use a birth control method	3
9	You were not taking, or using, your method consistently	1
	Total	**9543**

Universe : Applicable if more than 3 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

WHYNOUSE5(311-311)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (5th mention)

value	label	Total
.	INAPPLICABLE	9540
8	You could not get a method	1
9	You were not taking, or using, your method consistently	2
	Total	**9543**

Universe : Applicable if more than 4 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

MAINOUSE(312-312)

Variable Type : raw

EG-24a : Which one of these is the main reason that you did not use birth control?

value	label	Total
.	INAPPLICABLE	9453
1	You did not expect to have sex	14
2	You did not think you could get pregnant	19
3	You didn't really mind if you got pregnant	16
4	You were worried about the side effects of birth control	11
5	Your male partner did not want you to use a birth control method	3
6	Your male partner himself did not want to use a birth control method	5
8	You could not get a method	3
9	You were not taking, or using, your method consistently	19

Total	9543

Universe : Appicable if R reported more than one reason why didn't use a method before unintended pregnancy began (2 or more of EG-24 WHYNOUSE1 through WHYNOUSE5 contain a valid response)

Female Pregnancy File Codebook :: Pregnancy Variables :: 4. Section B and E pregnancy-based recodes

PRGLNGTH(313-314)

Variable Type : pregnancy recode

Description : Duration of completed pregnancy in weeks (recode)

value	label	Total
0-13	13 WEEKS OR LESS	2327
14-26	14-26 WEEKS	462
27-95	27 WEEKS OR LONGER	6754
	Total	9543

Universe : Applicable for all pregnancies

OUTCOME(315-315)

Variable Type : pregnancy recode

Description : Pregnancy outcome (recode)

value	label	Total
1	LIVE BIRTH	6670
2	INDUCED ABORTION	993
3	STILLBIRTH	71
4	MISCARRIAGE	1451
5	ECTOPIC PREGNANCY	120
6	CURRENT PREGNANCY	238
	Total	9543

Universe : Applicable for all pregnancies

BIRTHORD(316-316)

Variable Type : pregnancy recode

Description : Birth order (recode)

value	label	Total
.	INAPPLICABLE	2873
1	1ST BIRTH	3141
2	2ND BIRTH	2076
3	3RD BIRTH	957
4	4TH BIRTH	327
5	5TH BIRTH	113
6	6TH BIRTH	34
7	7TH BIRTH	16
8	8TH BIRTH	5
9	9TH BIRTH	1
	Total	9543

Universe : Applicable for all pregnancies that resulted in live birth (OUTCOME = 1)

DATEND(317-320)

Variable Type : pregnancy recode

Description : Century month for date pregnancy ended (recode)

value	label	Total
.	INAPPLICABLE	238
380-1340	Before Sept 2011	8701
1341-1352	Sept 2011-Aug 2012	456
1353-1365	Sept 2012-Sept 2013	148
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

AGEPREG(321-324)

Variable Type : pregnancy recode

Description : Age at pregnancy outcome (recode)

value	label	Total
.	INAPPLICABLE	238
0-1999	UNDER 20 YEARS	2094
2000-2499	20-24 YEARS	3157
2500-2999	25-29 YEARS	2266
3000-4499	30-44 YEARS	1788
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

DATECON(325-328)

Variable Type : pregnancy recode

Description : Century month for date of conception (recode)

value	label	Total
380-1340	Before Sept 2011	9017
1341-1352	Sept 2011-Aug 2012	415
1353-1365	Sept 2012-Sept 2013	111
	Total	**9543**

Universe : Applicable for all pregnancies

AGECON(329-332)

Variable Type : pregnancy recode

Description : Age at time of conception (recode)

value	label	Total
0-1999	UNDER 20 YEARS	2507
2000-2499	20-24 YEARS	3153
2500-2999	25-29 YEARS	2215
3000-4499	30-44 YEARS	1668
	Total	**9543**

Universe : Applicable for all pregnancies

FMAROUT5(333-333)

Variable Type : pregnancy recode

Description : Formal marital status at pregnancy outcome (recode)

value	label	Total
.	INAPPLICABLE	238
1	MARRIED	3761
2	DIVORCED	501

3	WIDOWED	14
4	SEPARATED	102
5	NEVER MARRIED	4927
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

PMARPREG(334-334)

Variable Type : pregnancy recode

Description : Whether pregnancy ended before R's 1st marriage (premaritally) (recode)

value	label	Total
.	INAPPLICABLE	238
1	YES	4927
2	No	4378
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

RMAROUT6(335-335)

Variable Type : pregnancy recode

Description : Informal marital status at pregnancy outcome - 6 categories (recode)

value	label	Total
.	INAPPLICABLE	238
1	MARRIED	3761
2	DIVORCED	286
3	WIDOWED	10
4	SEPARATED	102
5	COHABITING	2550
6	NEVER MARRIED, NOT COHABITING	2596
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

FMARCON5(336-336)

Variable Type : pregnancy recode

Description : Formal marital status at conception - 5 categories (recode)

value	label	Total
1	MARRIED	3502
2	DIVORCED	512
3	WIDOWED	12
4	SEPARATED	95
5	NEVER MARRIED	5422
	Total	**9543**

Universe : Applicable for all pregnancies

RMARCON6(337-337)

Variable Type : pregnancy recode

Description : Informal marital status at conception - 6 categories (recode)

value	label	Total
1	MARRIED	3502

2	DIVORCED	281
3	WIDOWED	9
4	SEPARATED	95
5	COHABITING	2646
6	NEVER MARRIED, NOT COHABITING	3010
	Total	**9543**

Universe : Applicable for all pregnancies

LEARNPRG(338-339)

Variable Type : pregnancy recode

Description : Number of weeks pregnant when R learned she was pregnant (recode)

value	label	Total
.	INAPPLICABLE	6612
0-13	13 WEEKS OR LESS	2807
14-50	14 WEEKS OR LATER	124
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (other than an induced abortion) (OUTCOME = 1 3, 4, or 5) that ended in January [YEAR OF INTERVIEW - 5] or later (DATEND GE cmjan5yr), but not with an unnamed baby placed for adoption (no BPA_BDScheck1 - 3 = 1)

PNCAREWK(340-341)

Variable Type : pregnancy recode

Description : Number of weeks pregnant at first prenatal care (recode)

value	label	Total
.	INAPPLICABLE	6611
0-13	13 WEEKS OR LESS	2344
14-50	14 WEEKS OR LATER	244
95	NO PRENATAL CARE FOR THIS PREGNANCY	344
	Total	**9543**

Universe : Applicable if pregnancy is a completed pregnancy (other than an induced abortion) (OUTCOME = 1 3, 4, or 5) that ended in January [YEAR OF INTERVIEW - 5] or later (DATEND GE cmjan5yr), but not with an unnamed baby placed for adoption (no BPA_BDScheck1 - 3 = 1)

PAYDELIV(342-342)

Variable Type : pregnancy recode

Description : Payment for delivery (recode)

value	label	Total
.	INAPPLICABLE	7257
1	OWN INCOME ONLY	38
2	INSURANCE ONLY	510
3	OWN INCOME & INSURANCE ONLY	445
4	MEDICAID/GOVT ASSISTANCE MENTIONED AT ALL	1217
5	ALL OTHER COMBINATIONS OF PAYMENT METHODS	76
	Total	**9543**

Universe : Applicable if pregnancy ended in live birth in January [INTERVIEW YEAR - 5] or later (OUTCOME = 1 and DATEND GE cmjan5yr)

LBW1(343-343)

Variable Type : pregnancy recode

Description : Low birthweight - Baby 1 (recode)

value	label	Total
.	INAPPLICABLE	2873
1	YES, LOW BIRTH WEIGHT	642
2	NO, NOT LOW BIRTH WEIGHT	6028
	Total	**9543**

Universe : Applicable if pregnancy ended in live birth (OUTCOME = 1)

LIVCHILD(344-344)

Variable Type : pregnancy recode

Description : Current living arrangements of 1st liveborn child from this pregnancy (recode)

value	label	Total
.	INAPPLICABLE	2873
1	Child lives with R	6216
2	Child is dead	64
3	Child lives with adoptive parents/family	62
4	Child lives with biological father	137
5	Child lives with other relatives	147
6	Child's living arrangements are other or unknown	44
	Total	**9543**

Universe : Applicable if pregnancy ended in live birth (OUTCOME = 1)

BFEEDWKS(345-347)

Variable Type : pregnancy recode

Description : Duration of breastfeeding in weeks (recode)

value	label	Total
.	INAPPLICABLE	3703
0	Less than 1 week	82
1-4	1-4 weeks	586
5-8	5-8 weeks	177
9-26	9-26 weeks	1387
27-52	27-52 weeks (> 6mos, < 1 yr)	896
53-993	53 WEEKS OR LONGER (> 1 yr)	484
994	STILL BREASTFEEDING THIS CHILD	149
995	NEVER BREAST-FED THIS CHILD	2079
	Total	**9543**

Universe : Applicable if pregnancy ended in single live birth (OUTCOME = 1 and nbrnlv_s = 1) and child is currently under age 19 lived with R at least 2 months (lastage1 GE 2 and kidage LT 228)

OLDWANTR(348-348)

Variable Type : pregnancy recode

Description : Wantedness of pregnancy - respondent - Cycle 4 version (recode)

value	label	Total
1	LATER, OVERDUE	566
2	RIGHT TIME	4012
3	TOO SOON, MISTIMED	2910
4	DIDN'T CARE, INDIFFERENT	92
5	UNWANTED	1927
6	DON'T KNOW, NOT SURE	36
	Total	**9543**

Universe : Applicable for all pregnancies

OLDWANTP(349-349)

Variable Type : pregnancy recode

Description : Wantedness of preg - R's partner (father of pregnancy) - Cycle 4 version (recode)

value	label	Total
1	LATER, OVERDUE	539
2	RIGHT TIME	4546
3	TOO SOON, MISTIMED	1758
4	DIDN'T CARE, INDIFFERENT	113
5	UNWANTED	1960
6	DON'T KNOW, NOT SURE	627
	Total	**9543**

Universe : Applicable for all pregnancies

WANTRESP(350-350)

Variable Type : pregnancy recode

Description : Wantedness of pregnancy - respondent - Cycle 5, 6 version (recode)

value	label	Total
1	LATER, OVERDUE	566
2	RIGHT TIME	4012
3	TOO SOON, MISTIMED	2913
4	DIDN'T CARE, INDIFFERENT	92
5	UNWANTED	1924
6	DON'T KNOW, NOT SURE	36
	Total	**9543**

Universe : Applicable for all pregnancies

WANTPART(351-351)

Variable Type : pregnancy recode

Description : Wantedness of preg - R's partner (father of pregnancy) - Cycle 5, 6 version (recode)

value	label	Total
1	LATER, OVERDUE	542
2	RIGHT TIME	4551
3	TOO SOON, MISTIMED	1762
4	DIDN'T CARE, INDIFFERENT	119
5	UNWANTED	1961
6	DON'T KNOW, NOT SURE	608
	Total	**9543**

Universe : Applicable for all pregnancies

TOOSOON(352-354)

Variable Type : pregnancy recode

Description : Number of months too soon pregnancy occurred (recode)

value	label	Total
.	INAPPLICABLE	6642
1-400	1-400	2901
	Total	**9543**

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK =1)

NEWWANTR(355-355)

Variable Type : pregnancy recode

Description : Detailed wantedness of pregnancy - respondent (recode)

value	label	Total
1	Later, overdue	566
2	Right time	4012
3	Too soon: by less than 2 years	718
4	Too soon: by 2 years or more	2195
5	Didn't care, indifferent	92
6	Unwanted	1924
7	Don't know, not sure	36
	Total	**9543**

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 5. Selected respondent file variables (raw and recode)

cmbirth(356-359)

Variable Type : computed

Description : Century month of R's birth (computed; respondent variable)

value	label	Total
380-1340	Before Sept 2011	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

AGER(360-361)

Variable Type : respondent recode

Description : Age at interview (respondent recode)

value	label	Total
15	15 YEARS	4
16	16 YEARS	7
17	17 YEARS	20
18	18 YEARS	41
19	19 YEARS	73
20	20 YEARS	109
21	21 YEARS	143
22	22 YEARS	200
23	23 YEARS	186
24	24 YEARS	258
25	25 YEARS	274
26	26 YEARS	350
27	27 YEARS	397
28	28 YEARS	379
29	29 YEARS	459
30	30 YEARS	476
31	31 YEARS	535
32	32 YEARS	517
33	33 YEARS	487
34	34 YEARS	429
35	35 YEARS	438

36	36 YEARS	483
37	37 YEARS	408
38	38 YEARS	406
39	39 YEARS	441
40	40 YEARS	399
41	41 YEARS	423
42	42 YEARS	394
43	43 YEARS	451
44-45	44 YEARS	356
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : Respondents age 45 were 44 at screener

agescrn(362-363)

Variable Type : computed

Description : R's age at screener (computed; respondent variable)

value	label	Total
15	15 years	4
16	16 years	7
17	17 years	20
18	18 years	41
19	19 years	73
20	20 years	107
21	21 years	152
22	22 years	198
23	23 years	194
24	24 years	254
25	25 years	269
26	26 years	359
27	27 years	388
28	28 years	391
29	29 years	455
30	30 years	492
31	31 years	538
32	32 years	502
33	33 years	490
34	34 years	428
35	35 years	452
36	36 years	469
37	37 years	410
38	38 years	398
39	39 years	430
40	40 years	418
41	41 years	417
42	42 years	407
43	43 years	429
44	44 years	348
97	Not ascertained	3
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

FMARITAL(364-364)

Variable Type : respondent recode

Description : Formal marital status (respondent recode)

value	label	Total
1	MARRIED	4139
2	WIDOWED	79
3	DIVORCED	1254
4	SEPARATED	765
5	NEVER MARRIED	3306
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

RMARITAL(365-365)

Variable Type : respondent recode

Description : Informal Marital Status (respondent recode)

value	label	Total
1	CURRENTLY MARRIED	4139
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	1475
3	WIDOWED	72
4	DIVORCED	938
5	SEPARATED FOR REASONS OF MARITAL DISCORD	669
6	NEVER BEEN MARRIED	2250
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

EDUCAT(366-367)

Variable Type : respondent recode

Description : Education (completed years of schooling) (respondent recode)

value	label	Total
9	9TH GRADE OR LESS	1346
10	10TH GRADE	519
11	11TH GRADE	627
12	12TH GRADE	2376
13	1 YEAR OF COLLEGE/GRAD SCHOOL	1305
14	2 YEARS OF COLLEGE/GRAD SCHOOL	1143
15	3 YEARS OF COLLEGE/GRAD SCHOOL	414
16	4 YEARS OF COLLEGE/GRAD SCHOOL	883
17	5 YEARS OF COLLEGE/GRAD SCHOOL	246
18	6 YEARS OF COLLEGE/GRAD SCHOOL	320
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	364
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

HIEDUC(368-369)

Variable Type : respondent recode

Description : Highest completed year of school or degree (respondent recode)

value	label	Total
5	9TH GRADE OR LESS	1066

6	10TH GRADE	358
7	11TH GRADE	451
8	12TH GRADE, NO DIPLOMA (NOR GED)	56
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	2935
10	SOME COLLEGE BUT NO DEGREE	2120
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	869
12	BACHELOR'S DEGREE	1096
13	MASTER'S DEGREE	481
14	DOCTORATE DEGREE	67
15	PROFESSIONAL DEGREE	44
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

RACE(370-370)

Variable Type : respondent recode

Description : Race (respondent recode)

value	label	Total
1	BLACK	2630
2	WHITE	5707
3	OTHER	1206
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

HISPANIC(371-371)

Variable Type : respondent recode

Description : Hispanic origin (respondent recode)

value	label	Total
1	HISPANIC	2723
2	NON-HISPANIC	6820
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE(372-372)

Variable Type : respondent recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (respondent recode)

value	label	Total
1	Hispanic	2723
2	Non-Hispanic White	3941
3	Non-Hispanic Black	2414
4	Non-Hispanic Other	465
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE2(373-373)

Variable Type : respondent recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (respondent recode)

value	label	Total
1	Hispanic	2723
2	Non-Hispanic White, Single Race	3788
3	Non-Hispanic Black, Single Race	2313
4	Non-Hispanic Other or Multiple Race	719
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

RCURPREG(374-374)

Variable Type : respondent recode

Description : Pregnant at time of interview (respondent recode)

value	label	Total
1	YES (CURRENTLY PREGNANT)	638
2	NO (NOT CURRENTLY PREGNANT)	8905
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

PREGNUM(375-376)

Variable Type : respondent recode

Description : CAPI-based total number of pregnancies (respondent recode)

value	label	Total
1	1 PREGNANCY	872
2	2 PREGNANCIES	1958
3	3 PREGNANCIES	2307
4	4 PREGNANCIES	1772
5	5 PREGNANCIES	1145
6	6 PREGNANCIES	630
7-95	7 OR MORE PREGNANCIES	859
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

PARITY(377-378)

Variable Type : respondent recode

Description : Total number of live births (respondent recode)

value	label	Total
0	0 BABIES	520
1	1 BABY	1780
2	2 BABIES	2948
3	3 BABIES	2391
4	4 BABIES	1088
5-95	5 OR MORE BABIES	816
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

CURR_INS(379-379)

Variable Type : respondent recode

Description : Current health insurance coverage status (respondent recode)

value	label	Total

1	Currently covered by private health insurance or Medi-Gap	3861
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	2808
3	Currently covered by Medicare, military health care, or other government health care	607
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	2267
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

PUBASSIS(380-380)

Variable Type : respondent recode

Description : Whether R or any members of her family received public assistance in the calendar year before the interview

value	label	Total
1	YES (RECEIVED PUBLIC ASSISTANCE IN [INTERVIEW YEAR -1])	5364
2	NO (DID NOT RECEIVE PUBLIC ASSISTANCE IN [INTERVIEW YEAR -1])	4179
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

POVERTY(381-383)

Variable Type : respondent recode

Description : Poverty level income (respondent recode)

value	label	Total
0-99	0-99 PERCENT OF POVERTY LEVEL	4035
100-199	100-199 PERCENT OF POVERTY LEVEL	2272
200-299	200-299 PERCENT OF POVERTY LEVEL	1278
300-399	300-399 PERCENT OF POVERTY LEVEL	785
400-499	400-499 PERCENT OF POVERTY LEVEL	459
500-HIGH	500 PERCENT OF POVERTY LEVEL OR GREATER	714
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been topcoded for public use.)

LABORFOR(384-384)

Variable Type : respondent recode

Description : Labor force status (respondent recode)

value	label	Total
1	WORKING FULL-TIME	3502
2	WORKING PART-TIME	1651
3	WORKING-TEMP ILL/ETC	370
4	WORKING-MATERNITY OR FAMILY LEAVE	102
5	NOT WORKING BUT LOOKING FOR WORK	772
6	SCHOOL	357
7	KEEPING HOUSE	2381
8	CARING FOR FAMILY	205
9	OTHER	203
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been recoded for public use.)

RELIGION(385-385)

Variable Type : respondent recode

Description : Current religious affiliation (respondent recode)

value	label	Total
1	NO RELIGION	1685
2	CATHOLIC	2189
3	PROTESTANT	4986
4	OTHER RELIGIONS	683
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

METRO(386-386)

Variable Type : respondent recode

Description : Place of residence (Metropolitan / Nonmetropolitan) (respondent recode)

value	label	Total
1	Principal city of MSA	4045
2	Other MSA	4131
3	Not MSA	1367
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

BRNOUT(387-387)

Variable Type : raw

IB-8 : Were you born outside of the United States? (respondent variable)

value	label	Total
1	Yes	1722
5	No	7821
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

yrstrus(388-391)

Variable Type : computed

Description : Year R came to the U.S. to stay (computed in post-processing; respondent variable)

value	label	Total
.	INAPPLICABLE	7821
1931-2013	1931-2013	1700
9998	Refused	5
9999	Don't know	17
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been recoded for public use.)

Female Pregnancy File Codebook :: Pregnancy Variables :: 6. Pregnancy recode imputation flags

PRGLNGTH_I(392-392)

Variable Type : imputation flag

Description : PRGLNGTH Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9518
1	Model-based imputation	15
2	Logical imputation	10
	Total	**9543**

Universe : Applicable for all pregnancies

OUTCOME_I(393-393)

Variable Type : imputation flag

Description : OUTCOME Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9526
1	Model-based imputation	9
2	LOGICAL IMPUTATION	8
	Total	**9543**

Universe : Applicable for all pregnancies

BIRTHORD_I(394-394)

Variable Type : imputation flag

Description : BIRTHORD Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9526
2	Logical imputation	17
	Total	**9543**

Universe : Applicable for all pregnancies

DATEND_I(395-395)

Variable Type : imputation flag

Description : DATEND Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9440
1	Model-based imputation	59
2	Logical imputation	44
	Total	**9543**

Universe : Applicable for all pregnancies

AGEPREG_I(396-396)

Variable Type : imputation flag

Description : AGEPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9457
1	Model-based imputation	59
2	LOGICAL IMPUTATION	27
	Total	**9543**

Universe : Applicable for all pregnancies

DATECON_I(397-397)

Variable Type : imputation flag

Description : DATECON Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9449
1	Model-based imputation	65
2	LOGICAL IMPUTATION	29
	Total	**9543**

Universe : Applicable for all pregnancies

AGECON_I(398-398)

Variable Type : imputation flag

Description : AGECON Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9450
1	Model-based imputation	65
2	LOGICAL IMPUTATION	28
	Total	**9543**

Universe : Applicable for all pregnancies

FMAROUT5_I(399-399)

Variable Type : imputation flag

Description : FMAROUT5 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9440
1	Model-based imputation	103
	Total	**9543**

Universe : Applicable for all pregnancies

PMARPREG_I(400-400)

Variable Type : imputation flag

Description : PMARPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9448
1	Model-based imputation	95
	Total	**9543**

Universe : Applicable for all pregnancies

RMAROUT6_I(401-401)

Variable Type : imputation flag

Description : RMAROUT6 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9440
1	Model-based imputation	95
2	LOGICAL IMPUTATION	8

	Total	9543

Universe : Applicable for all pregnancies

FMARCON5_I(402-402)

Variable Type : imputation flag

Description : FMARCON5 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9437
1	Model-based imputation	106
	Total	9543

Universe : Applicable for all pregnancies

RMARCON6_I(403-403)

Variable Type : imputation flag

Description : RMARCON6 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9440
1	Model-based imputation	96
2	LOGICAL IMPUTATION	7
	Total	9543

Universe : Applicable for all pregnancies

LEARNPRG_I(404-404)

Variable Type : imputation flag

Description : LEARNPRG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9455
1	Model-based imputation	47
2	Logical imputation	41
	Total	9543

Universe : Applicable for all pregnancies

PNCAREWK_I(405-405)

Variable Type : imputation flag

Description : PNCAREWK Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9472
1	Model-based imputation	32
2	Logical imputation	39
	Total	9543

Universe : Applicable for all pregnancies

PAYDELIV_I(406-406)

Variable Type : imputation flag

Description : PAYDELIV Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9530
1	Model-based imputation	13
	Total	**9543**

Universe : Applicable for all pregnancies

LBW1_I(407-407)

Variable Type : imputation flag

Description : LBW1 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9521
1	Model-based imputation	5
2	Logical imputation	17
	Total	**9543**

Universe : Applicable for all pregnancies

LIVCHILD_I(408-408)

Variable Type : imputation flag

Description : LIVCHILD Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9526
2	Logical imputation	17
	Total	**9543**

Universe : Applicable for all pregnancies

BFEEDWKS_I(409-409)

Variable Type : imputation flag

Description : BFEEDWKS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9505
1	Model-based imputation	21
2	Logical imputation	17
	Total	**9543**

Universe : Applicable for all pregnancies

OLDWANTR_I(410-410)

Variable Type : imputation flag

Description : OLDWANTR Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9510
1	Model-based imputation	33
	Total	**9543**

Universe : Applicable for all pregnancies

OLDWANTP_I(411-411)

Variable Type : imputation flag

Description : OLDWANTP Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9502
1	Model-based imputation	38
2	LOGICAL IMPUTATION	3
	Total	**9543**

Universe : Applicable for all pregnancies

WANTRESP_I(412-412)

Variable Type : imputation flag

Description : WANTRESP Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9510
1	Model-based imputation	33
	Total	**9543**

Universe : Applicable for all pregnancies

WANTPART_I(413-413)

Variable Type : imputation flag

Description : WANTPART Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9482
1	Model-based imputation	61
	Total	**9543**

Universe : Applicable for all pregnancies

TOOSOON_I(414-414)

Variable Type : imputation flag

Description : TOOSOON Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9489
1	Model-based imputation	54
	Total	**9543**

Universe : Applicable for all pregnancies

NEWWANTR_I(415-415)

Variable Type : imputation flag

Description : NEWWANTR Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9456
1	Model-based imputation	74
2	LOGICAL IMPUTATION	13
	Total	**9543**

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 7. Respondent recode imputation flags included on pregnancy file

AGER_I(416-416)

Variable Type : imputation flag

Description : AGER Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

FMARITAL_I(417-417)

Variable Type : imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

RMARITAL_I(418-418)

Variable Type : imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

EDUCAT_I(419-419)

Variable Type : imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9532
1	Model-based imputation	11
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

HIEDUC_I(420-420)

Variable Type : imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9530
2	Logical imputation	13
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

RACE_I(421-421)

Variable Type : imputation flag

Description : RACE Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9539
1	Model-based imputation	4
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

HISPANIC_I(422-422)

Variable Type : imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9538
1	Model-based imputation	5
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE_I(423-423)

Variable Type : imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9538
2	LOGICAL IMPUTATION	5
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE2_I(424-424)

Variable Type : imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9539
2	LOGICAL IMPUTATION	4
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

RCURPREG_I(425-425)

Variable Type : imputation flag

Description : RCURPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9541
2	Logical imputation	2
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

PREGNUM_I(426-426)

Variable Type : imputation flag

Description : PREGNUM Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

PARITY_I(427-427)

Variable Type : imputation flag

Description : PARITY Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9539
2	Logical imputation	4
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

CURR_INS_I(428-428)

Variable Type : imputation flag

Description : CURR_INS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9540
1	Model-based imputation	3
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

PUBASSIS_I(429-429)

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9350
1	Model-based imputation	193
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

POVERTY_I(430-430)

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	8976
1	Model-based imputation	567
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

LABORFOR_I(431-431)

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

RELIGION_I(432-432)

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9529
1	Model-based imputation	14
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

METRO_I(433-433)

Variable Type : imputation flag

Description : METRO Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

Female Pregnancy File Codebook :: Pregnancy Variables :: 8. Weights and related variables

WGT2011_2013(434-449)

Variable Type : weight-related

Description : Final weight for the 2011-2013 NSFG

value	label	Total
1714.541-85207.95		9543
	Total	**9543**

Universe : Applicable for all Respondents

SECU(450-450)

Variable Type : weight-related

Description : Randomized version of the sampling error computational unit

value	label	Total
1	1	2693
2	2	2451
3	3	2046
4	4	2353
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

SEST(451-453)

Variable Type : weight-related

Description : Randomized version of the stratum

value	label	Total
303-369	303-369	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

Female Pregnancy File Codebook :: Pregnancy Variables :: 9. Date of interview, key reference dates, and fieldwork variables

cmintvw(454-457)

Variable Type : computed

Description : Century month of interview date (computed in Flow Check A-1; respondent variable)

value	label	Total
1341-1365	Sept 2011-Sept 2013	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

cmlstyr(458-461)

Variable Type : computed

Description : Century month of interview minus 1 year (cmintvw-12) (computed in Flow Check A-1; respondent variable)

value	label	Total
1329-1341	SEPT 2010-SEPT 2011	4805
1342-1353	OCT 2011-SEPT 2012	4738
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

cmjan3yr(462-465)

Variable Type : computed

Description : Century month for the January three years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
1297-1321	Jan 2008-Jan 2010	9543
	Total	**9543**

Universe : Applicable for all pregnancies (respondent-level variable)

cmjan4yr(466-469)

Variable Type : computed

Description : Century month for the January four years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
1285-1309	Jan 2007-Jan 2009	9543

	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

cmjan5yr(470-473)

Variable Type : computed

Description : Century month for the January five years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
1273-1297	Jan 2006-Jan 2008	9543
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

QUARTER(474-474)

Variable Type : raw

Description : Quarter when case was sampled

value	label	Total
1	1	1293
2	2	1089
3	3	1104
4	4	1163
5	5	1259
6	6	1357
7	7	1189
8	8	1089
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : See User's Guide for 2013-2015 release, Appendix 2, for information concerning combining this variable with QUARTER from 2013-2015 data

PHASE(475-475)

Variable Type : raw

Description : Regular- or double-sample portion of the quarter

value	label	Total
.	INAPPLICABLE	25
1	First 10 weeks of quarter	8621
2	Last 2 weeks of quarter (double sample)	897
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

INTVWYEAR(476-479)

Variable Type : raw

Description : Calendar year when interview occurred

value	label	Total
2011	2011	1293
2012	2012	4615
2013	2013	3635
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)